Environmental Biology of Fishes **53**: 467–469, 1998.

Volume 53

Issue 1, pp. 1–116: September 1998
Issue 2, pp. 117–234: October 1998
Issue 3, pp. 235–352: November 1998
Issue 4, pp. 353–472: December 1998

Volume contents

Full papers

Temporal dynamics of fish communities on an exposed shoreline in Hawaii, by A.M. Friedlander & J.D. Parrish 1–18

Relationships between habitat structure and fish communities on coral and sandstone reefs, by M.C. Öhman & A. Rajasuriya 19–31

Threatened fishes of the world: Galaxias fontanus *Fulton, 1978 (Galaxiidae)*, by D.A. Crook & A.C. Sanger 32

Ecology of the coporo, *Prochilodus mariae* (Characiformes, Prochilodontidae), and status of annual migrations in western Venezuela, by A.B. Duque, D.C. Taphorn & K.O. Winemiller 33–46

Incomplete mixing of limed water and acidic runoff restricts recruitment of lake spawning brown trout in Hovvatn, southern Norway, by B.T. Barlaup, A. Hindar, E. Kleiven & R. Høgberget 47–63

Effect of threadfin shad density on production of threadfin shad and gizzard shad larvae in a Tennessee reservoir, by S.M. Sammons, P.W. Bettoli & F.C. Fiss 65–73

Threatened fishes of the world: Typhlichthys subterraneus *(Girard, 1860) (Amblyopsidae)*, by A. Romero 74

Hunting behavior of Florida largemouth bass, *Micropterus salmoides floridanus,* in a channelized river, by C.A. Annett 75–87

Food, density, and microhabitat: factors affecting growth and recruitment potential of juvenile saltmarsh fishes, by D.M. Baltz, J.W. Fleeger, C.F. Rakocinski & J.N. McCall 89–103

Brief communication

Ontogenetic diet shifts in *Roeboides affinis* with morphological comparisons, by C.C. Peterson & P. McIntyre 105–110

Book critique

Freshwater fishes of northern South America: a need for field guides, by R. Lowe-McConnell 111–115

Full papers

Reproductive ecology and early life history of a lacustrine sculpin, *Cottus extensus* (Teleostei, Cottidae), by J.R. Ruzycki, W.A. Wurtsbaugh & C. Lay 117–127

The effect of natural variation in substrate architecture on the survival of juvenile bicolor damselfish, by R.S. Nemeth 129–141

Body shape variation of three species of *Percichthys* in relation to their coexistence in the Limay River basin, in northern Patagonia, by V.E. Cussac, D. Ruzzante, S. Walde, P.J. Macchi, V. Ojeda, M.F. Alonso & M.A. Denegri 143–153

Threatened fishes of the world: Galaxias johnstoni *Scott, 1936 (Galaxiidae)*, by D.A. Crook & A.C. Sanger 154

Effects of disturbance caused by selective timber extraction on fish communities in Sabah, Malaysia, by K.M. Martin-Smith 155–167

Factors influencing spatial distribution of fish communities on a fringing reef at Mauritius, S.W. Indian Ocean, by M. Adjeroud, Y. Letourneur, M. Porcher & B. Salvat 169–182

Sound production and reproductive behaviour of the armoured catfish *Corydoras paleatus* (Callichthyidae), by I. Pruzsinszky & F. Ladich 183–191

Comparison between the life cycles of two Soleidae, the common sole, *Solea solea*, and the thickback sole, *Microchirus variegatus*, in the Bay of Biscay (France), by R. Amara, J.-C. Poulard, F. Lagardère & Y. Désaunay 193–209
Dissolved oxygen and fish distribution in a Florida spring, by D.M. McKinsey & L.J. Chapman 211–223

Brief communication
Field evidence for suspension feeding in *Pseudocaranx dentex*, with comments on ram filtering in other jacks (Carangidae), by I. Sazima 225–229

Book critique
Something borrowed, something new, by M.L.J. Stiassny 231–233

Full papers
Phylogenetic relationships and ecomorphological divergence in sympatric and allopatric species of *Paragalaxias* (Teleostei: Galaxiidae) in high elevation Tasmanian lakes, by R.M. McDowall 235–257
Complex behaviour by coral-reef fish larvae in open-water and near-reef pelagic environments, by J.M. Leis & B.M. Carson-Ewart 259–266
A predatory use of counterillumination by the squaloid shark, *Isistius brasiliensis*, by E.A. Widder .. 267–273
Rapid acquisition of directional preferences by migratory juveniles of two amphidromous Hawaiian gobies, *Awaous guamensis* and *Sicyopterus stimpsoni*, by R.J.F. Smith & M.J. Smith 275–282
Olfactory clues play a critical role in the estuarine migration of silver-phase American eels, by G.P. Barbin, S.J. Parker & J.D. McCleave 283–291
Threatened fishes of the world: Speoplatyrhinus poulsoni *Cooper & Kuehne, 1974 (Amblyopsidae)*, by A. Romero 293–294
Home range of the Japanese fluvial sculpin, *Cottus pollux*, in relation to nocturnal activity patterns, by T. Natsumeda 295–301
Freshwater fishes of the Burdekin River, Australia: biogeography, history and spatial variation in community structure, by B.J. Pusey, A.H. Arthington & M.G. Read 303–318
Tradeoffs between growth and reproduction in response to temporal variation in food supply, by D.P. Siems & R.S. Sikes 319–329
Behavioural responses of brown trout, *Salmo trutta*, juveniles in concentration gradients of pH and Al – a laboratory study, by Å. Åtland 331–345

Brief communication
Reproduction, diet and population structure of the mountain mullet, *Agonostomus monticola*, in Jamaica, West Indies, by K.A. Aiken 347–352

Invited editorial
Bioeconomics of schooling fishes: selfish fish, quasi-free riders, and other fishy tales, by J.T. Landa 353–364

Full papers
Do body and fin form affect the abilities of fish to stabilize swimming during maneuvers through vertical and horizontal tubes? by A.J. Schrank & P.W. Webb 365–371
Threatened fishes of the world: Cyprinella monacha *(Cope, 1868) (Cyprinidae)*, by M.R. Winston 372
Comparative ecology of eleotrid fishes in Central American coastal streams, by K.O. Winemiller & B.J. Ponwith 373–384
Does the Mediterranean killifish *Aphanius fasciatus* (Teleostei: Cyprinodontidae) fit the one-dimensional stepping-stone model of gene flow? by F. Maltagliati 385–392

Effects of substrata, resident conspecifics and damselfish on the settlement and recruitment of the stoplight parrotfish, *Sparisoma viride*, by N. Tolimieri 393–404
Contrasting behavioral responses to cold temperatures by two marine fish species during their pelagic juvenile interval, by S.M. Sogard & B.L. Olla 405–412
Spawning behavior of snubnose darters (Percidae) in natural and laboratory environments, by J.C. Porterfield 413–419
Determination of the freshwater mark in otoliths of Japanese eel elvers using microstructure and Sr/Ca ratios, by Y. Kawakami, N. Mochioka, K. Morishita, H. Toh & A. Nakazono 421–427
Seasonal variation in diet and trophic relationships within the fish communities of the lower Slave River, Northwest Territories, Canada, by A.S. Little, W.M. Tonn, R.F. Tallman & J.D. Reist 429–445
Effects of evolutionary thermal environment on temperature-preference relationships in fishes, by J.A. Johnson & S.W. Kelsch 447–458

Brief communication
Spawning behavior of the collared knifefish, *Cymolutes torquatus* (Labridae) in Papua New Guinea, by E. Clark & R. Petzold 459–464

Authors' index 465

Acknowledgements for refereeing 466

Volume contents 467–469

Instructions to authors 470–471